

Cumulative Index 1988

Volume 5

<i>January</i>	RHEUMATOLOGY, pages 1-266
<i>April</i>	SELECTED TOPICS IN MEDICINE AND SURGERY, pages 267-442
<i>July</i>	APPLIED BIOMECHANICS, pages 443-758
<i>October</i>	RADIOLOGY OF THE FOOT AND ANKLE, pages 759-966

Note: Page numbers of article and issue titles are in **boldface** type.

- Acceleration phase of power skating, 367-369
- Accessory bones, radiology of, 779-790
- Acebutolol, precautions and drug interactions with, 309
- Acetaminophen, precautions and drug interactions with, 300-301
- Achilles bursa, in rheumatoid arthritis, 78-79
- Achilles tendon, magnetic resonance imaging of, 950, 952-954
- tight, recurrent ankle sprain and, 280
- Achilles tendinitis, in rheumatoid arthritis, 839
- shoes for, 749-750
- sports-related, 600
- Adidas basketball shoes, 285
- Adrenal cortical insufficiency, anesthesia and, 175
- Adrenocorticosteroids. *See Corticosteroids; Glucocorticoids.*
- Airway management, in rheumatic patient, 180-184
- Alignment, of bone, radiology of, 802-803
- Alloantigens, in synovial fluid analysis, 22
- Allopurinol, in crystal-induced joint disease, 122-124
- anesthesia and, 178-179
- Ampicillin, precautions and drug interactions with, 306
- Amputation, etiology of, 696
- in children, 698-699
- levels of, 695-697
- of toe, techniques for, 697
- prosthesis in, for partial foot amputee, 702
- for total foot amputee, 702-703
- materials for, 700
- problems with, 704
- rigid device as, 700-702
- shoe insert as, 699-702
- types of, 699
- proximal levels in, 697-698
- Syme, 699, 702-703
- transmetatarsal, techniques for, 697
- Analgesics, adverse effects of, 300-305
- Anemia, in rheumatic patient, anesthesia and, 185-186
- in systemic lupus erythematosus, 42
- Anesthesia, antacids with, 170
- in rheumatoid disease, **169-192**
- airway management and, 180-184
- antimalarial drugs and, 174
- antimetabolites and, 172-173
- atlantoaxial instability and, 5, 159, 181
- before glucocorticoid injection, 145, 149-150
- gold compounds and, 172
- gout drugs and, 178-180
- immunosuppressive drugs and, 172
- local, 187-190
- NSAIDs and, 171-172
- D-penicillamine and, 173-174
- salicylates and, 169-171
- steroids and, 174-178
- systemic manifestations and, 184-187
- local, adverse effects of, 299
- Aneurysmal bone cyst, radiology of, 863

- Angle of propulsion, in power skating, 364-366
- Angular measurements, in radiology. See under *Radiology*.
- Ankle, anatomy of, 276-279
- biomechanics of, 276
- fracture of, classification of, 877-882
- injuries of, avulsion of ligaments in, 884, 887
- classification of, Danis-Weber, 877-878, 882
- Lauge-Hansen, 877-882
- diastasis in, 888
- in basketball, epidemiology of, 279-280
- etiology of, 279-280
- evaluation of, 282-284
- prevention of, 275, 280-282, 285
- in sports, 602-604
- radiology of, 877-891
- motion of, measurement of, 504-505
- muscular action in, 483-485
- range of, 469
- radiology of, projections for, 773-774, 812-816
- rheumatoid disease of, fusion in, 241-244
- glucocorticoid injection in, 152
- implant arthroplasty in, 217
- sprain of, 603
- in basketball, 279-280, 284
- rehabilitation of, 661-675
- diagnosis in, 662-663
- edema reduction in, 663-666
- external stabilization in, 670-672
- muscle strengthening in, 666-668
- proprioceptive exercises in, 668-670
- return to activity in, 672
- shoes for, 749
- stability of, in basketball player, 275-290
- in power skater, 372
- Ankle-foot-orthosis, 705-717
- double upright, 710-711
- history of, 705-706
- in amputation, 699-702
- indications for, 708-709
- nomenclature of, 707-708
- patella tendon brace, 713-714
- polypropylene, 711-712
- shoe-clasp, 714-716
- spiral, 712-713
- Teufel, 716-717
- Ankylosing spondylitis, 5, 7
- anesthesia and, 184
- calcaneal involvement in, 77, 80-81
- radiology in, 27, 840
- synovectomy in, 255
- Antacids, with anesthesia, 170
- Anterior cyma line, in radiology, 827
- Anterior drawer test, in ankle injury evaluation, 283
- Anterior-posterior projection, in ankle radiology, 813
- Anthranilic acids, in rheumatoid disease, 108
- Anthropologic concepts, in foot structure, 443-447
- Antibiotics, in implant arthroplasty, 215
- precautions and drug interactions with, 305-307
- Antibodies, in systemic lupus erythematosus, 38-39, 42
- Anticoagulants, circulating, in systemic lupus erythematosus, 42-43
- Antiinflammatory agents. See also *Nonsteroidal antiinflammatory drugs*.
- in juvenile rheumatoid arthritis, 67-70
- Antimalarial drugs, in rheumatoid disease, 71, 109-111
- anesthesia and, 174
- Antimetabolites, in rheumatoid disease, 115-116
- anesthesia and, 172-173
- Antinuclear antibodies, in juvenile rheumatoid arthritis, 66
- in synovial fluid analysis, 21-22
- Aristospan, in rheumatoid disease, 145, 148
- Arteriovenous shunting, in diabetic foot, 852-854, 856
- Arthritides. See *Rheumatoid disease*.
- Arthritis, gonococcal, calcaneal involvement in, 81-82
- gouty. See *Gout and gouty arthritis*.
- infectious (septic), 13-15
- calcaneal involvement in, 82
- synovectomy in, 253
- nuclear medicine imaging in, 921
- of subtalar joint, computed tomography of, 936-937
- of tibiotalar joint, after talar neck fracture, 406
- psoriatic, 5, 7, 9
- calcaneal involvement in, 77, 81-82
- drug treatment of, 127
- forefoot arthroplasty in, criteria for, 202
- radiology in, 27, 841-843
- synovectomy in, 255
- radiology in, 831-848
- general considerations in, 832-835
- rheumatoid. See *Rheumatoid arthritis*.
- shoes for, 747
- viral, versus juvenile rheumatoid arthritis, 64
- Arthrocentesis, 17-18
- Arthrodesis. See also *Fusion*.
- in rheumatoid disease, 240-241
- in talar neck fracture, 400-401, 404
- Arthrography, 893-904
- in rheumatoid disease, 27-29
- indications for, 895

- of subtalar joint, 901-904
- of talocrural joint, 897-901
- techniques for, 895
- Arthropathy, hypertrophic, 424-425
- nonerosive, in systemic lupus erythematosus, 51
- Arthroplasty. See also *Fusion; Implant arthroplasty*.
- in rheumatoid disease, digital, 199
- of forefoot, 201-211, 218-224
 - arthrodesis in, 208-209
 - extra-articular considerations in, 203-204
 - goals in, 201-202
 - implants in, 207-208
 - incisions for, 204-206
 - indications for, 201-202
 - skin considerations in, 203-204
 - techniques for, 204-210
- Articular disease. See *Rheumatoid disease*.
- Aseptic necrosis, after talar neck fracture, 398, 400, 406-407
- in systemic lupus erythematosus, 44-45, 49
- Aspiration, of synovial fluid, in juvenile rheumatoid arthritis treatment, 69-70
- in rheumatoid disease diagnosis, 17-18
- Aspirin, in rheumatoid disease, 68-69, 101-102
 - precautions and drug interactions with, 301-302
- Ataxic gait, in neuromuscular disorders, 631
- Athletic shoes, construction of, 746-750
- Atlantoaxial instability, anesthesia and, 5, 159, 181
- Auranofin, in rheumatoid disease, 70-71, 111-114
- Aurothioglucose, in rheumatoid disease, 70, 111-114
 - anesthesia and, 172
- Aurothiomalate, in rheumatoid disease, 70, 111-114
 - anesthesia and, 172
- Autoimmunity, in systemic lupus erythematosus, 38-39, 42
- Avascular necrosis. See *Aseptic necrosis*.
- Aviation, talar injuries in, 394-395
- Avulsion injury, versus os supranaviculare, 785-786
- Axes, of joint motion, 460-464
 - hip, 466-467
 - knee, 467-468
- Axis calcaneal projection, in radiology, 772, 809-810
- Axis sesamoidal projection, in radiology, 771-772
- Azathioprine, in rheumatoid disease, 117
- anesthesia and, 172
- Baker's cyst, 582-583
- Basket weave wrapping, in ankle injury prevention, 281-282
- Basketball, ankle injuries in, epidemiology of, 279-280
 - etiology of, 279-280
 - evaluation of, 282-284
 - prevention of, 275, 280-282, 285
 - ankle stability in, 275-290
 - shoes for, 284-289
- Benoxaprofen, in rheumatoid disease, 108
- Bentonite fixation test, in synovial fluid analysis, 21
- Benzodiazepines, precautions and drug interactions with, 307
- Beta-blockers, precautions and drug interactions with, 309
- Betamethasone, in rheumatoid disease, 143
- Big-Foam, in broken orthosis duplication, 325-327
- Biomechanics, anatomy and, 477-490
 - anthropologic aspects of, 443-447
 - force measurement in, 491-508
 - in diabetic foot treatment, 613-626
 - in foot therapy, 721-736
 - motion measurement in, 491-508
 - neonatal orthopedic evaluation and, 531-545
 - of ankle, 276
 - of ankle sprain rehabilitation, 661-675
 - of bone, 449-458
 - of cane walking, 677-693
 - of crutch walking, 677-693
 - of footwear, 737-751
 - of forefoot surgery, 639-659
 - of limb length discrepancy, 509-520
 - of lower extremity, 459-476, 521-530
 - of neuromuscular disease, 627-638
 - of orthoses, 695-719
 - of power skating, 363-376
 - of prosthesis, 695-719
 - of sports injuries, to foot, 601-606
 - to knee, 571-589
 - to leg, 591-601
 - of toe-walking, 547-559
 - of traumatically applied loads, 561-569
 - pressure measurement in, 491-508
 - TEMPER acronym in, 661-675
- Bipedalism, foot structure and, 443-447
- Blair fusion, in talar neck fracture, 401, 409-411
 - case report of, 411-418
- Blisters, sports-related, 604-605
- Böhler's critical angle, in radiology, 827
- Bone, alignment of, radiology of, 802-803
 - biomechanics of, 449-458
 - changes in, in diabetic foot, 850-857
 - cystic lesions of, computed tomography of, 939-940, 942

Bone (*Continued*)

- cystic lesions of, in systemic lupus erythematosus, 43-44, 49
 - radiology of, 860-863
- demineralization of, in arthritis, 832-833
- failure of, under loading, 451-452
- fracture of. *See also Fracture.*
 - biomechanics of, 451-453
 - healing of, in implant arthroplasty, in rheumatoid arthritis, 215-216
 - immobilizing hardware for, 453
 - mineralization of, in medial malleolus, 777, 779
 - radiology of, 800-802
 - strength of, 449-452
 - traumatic forces on. *See Trauma, biomechanics of.*
- Bone graft, biomechanics of, 454-456
 - in Blair fusion, 409-411
 - in rheumatoid disease, 231-232
- Bone scan. *See also Nuclear medicine imaging.*
 - gallium, 331-333, 910-912
 - in avascular necrosis of talus, 408
 - in rheumatoid disease, 25-27
 - indium, 333-335, 912
 - case report of, 335-339
 - technetium, 330, 909-910, 912-913, 915-916
 - types of, 329-330
- Bone tumors, nuclear medicine imaging in, 921
 - radiology of, 859-876
 - advanced imaging methods in, 874
 - aneurysmal bone cyst, 863
 - benign, 863-866
 - cartilaginous, 869, 872
 - chondrosarcoma, 869
 - cystic lesions, 860-863
 - enchondroma, 869
 - evaluation levels in, 860
 - Ewing's sarcoma, 866
 - giant cell, 864, 866
 - malignant, 866, 869
 - metastatic, 869, 872
 - osteoblastoma, 863
 - osteogenic sarcoma, 866, 869
 - osteoid osteoma, 863
 - solitary bone cyst, 860
 - synovial sarcoma, 872-874
- Bonnin talar fracture classification, 396
- Boyd amputation, prosthetic problems with, 697-698
- Brace, in ankle injury prevention, 282
- Bupivacaine, in rheumatic patient, 187-189
- Bursitis, pes anserinus, 582
- Bursography, 893, 897
- C-reactive protein, in synovial fluid analysis, 20-21
- Calcaneal-axial projection, in radiology, 772, 809-810
- Calcaneal inclination angle, in radiology, 827
- Calcaneocuboid joint, function of, 385-390
 - glucocorticoid injection into, 152
- Calcaneofibular ligament, anatomy of, 278
 - injury of, 279
 - evaluation of, 283-284
- Calcaneonavicular coalition, 343, 350-352
- Calcaneotibial ligament, anatomy of, 276-277
 - laxity of, 283
- Calcaneovalgus, in neonate, 539-541
- Calcaneus, arthroplasty of, 4-5, 77-88
 - crystal-induced, 84-85
 - diabetic-induced, 85
 - hemophilic arthritis and, 86
 - hypertrophic osteoarthropathy and, 86
 - infectious, 82
 - osteoporotic, 86-87
 - renal disease and, 86
 - seropositive versus seronegative, 77-82
 - traumatic, 83-84
 - treatment of, 87
 - computed tomography of, 937-940
 - fracture of, 394-395
 - versus sustentaculum tali, 780
 - rheumatoid disease of, 9
 - simulated cyst of, 781
 - tuberosity of, irregular development of, radiology of, 780-781
- Calcaneus secundarium, radiology of, 781, 784
- Calcification, in systemic lupus erythematosus, 43
- Calcium-channel blockers, action of, 310
- Calcium crystal deposition disease, 10, 845-846
 - calcaneal involvement in, 84-85
 - synovial fluid analysis in, 19
- Cane walking, biomechanics of, 677-693
- Cardiovascular disease, in rheumatic patient, anesthesia and, 184-185
 - medications for, 308
- Cartilage, magnetic resonance imaging of, 34
 - tumors of, radiology of, 869, 872
- Casting, for power skating, 373
 - in diabetic foot management, 617-619
 - in orthotic fabrication, 727-729
 - of neuropathic foot, 426-430, 433
 - of talar neck fracture, 397-398
- Cavus foot, shoes for, 747-748
- Central nervous system, radiation effects on, 761-762

- Cephalosporins, precautions and drug interactions with, 305-306
- Cerebral palsy, toe-walking in, 552
- Cerebrovascular accident, steppage gait in, 635
- Cervical spine, rheumatoid disease of, 5, 159
airway management in, 181-184
- Charcot joint. *See Neuropathic joint.*
- Charcot Marie Tooth disease, steppage gait in, 634
- Chemical synovectomy, in rheumatoid disease, 252
- Children, amputation in, 698-699
- Chloroprocaine, in rheumatic patient, 187-189
- Chloroquine, in rheumatoid disease, 71, 110
anesthesia and, 174
- Chondrocalcinosis, calcaneal involvement in, 85
- Chondrosarcoma, radiology of, 869
- Chopart amputation, prosthetic problems with, 697-698
- Chrysotherapy. *See Gold compounds.*
- Cimetidine, gastrointestinal drug absorption and, 312
hepatic metabolism and, 311
- Clubfoot. *See also Talipes equinovarus.*
shoes for, 747
toe-walking in, 555-556
- Coalitions, tarsal. *See Tarsal coalitions.*
- Codeine, precautions and drug interactions with, 300
- Colchicine, in crystal-induced joint disease, 121-122
anesthesia and, 179-180
- Collateral ligaments, of ankle, 276, 278
injury of, 279
- Coltart talar fracture classification, 396
- Compartment syndrome, of leg, sports-related, 595-596
- Computed tomography, 931-944
in arthritis, of subtalar joint, 936-937
in bone tumors, 874
in limb length determination, 267-274
in rheumatoid disease, 31-33
indications for, 932-933
of calcaneus, 937-940
of diabetic foot, 942
of navicular bone, 940, 942
of subtalar joint, 936-937
of talus, 934, 936
of tarsal coalition, 936
technique for, 931-932
- Connective tissue disease, 13. *See also specific disease.*
- Converse basketball shoes, 285-287
- Convex pes valgus, in neonate, 541-542
- Corticosteroids. *See also Glucocorticoids.*
in rheumatoid disease, 118-119
juvenile, 69-70
pharmacologic effects of, 177-178
in systemic lupus erythematosus, 51-52
in verruca plantaris treatment, 378
- Cricoarytenoid arthritis, anesthesia and, 182
- Crossover start in power skating, 366-367
- Crutch walking, biomechanics of, 677-693
- Cryotherapy, in verruca plantaris treatment, 378
- Crystal deposition disease, calcaneal involvement in, 84-85
drugs for, 121-124
pathogenesis of, 10-13
radiology in, 10-13, 843-846
synovial fluid analysis in, 18-19
- Cuneiform split, in radiology, 822-823
- Cutaneous lupus syndromes, 41
- Cyclophosphamide, in rheumatoid disease, 117-118
anesthesia and, 172
- Cyclosporine A, in rheumatoid disease, 120
- Cyma line, anterior, in radiology, 827
- Cyst(s), bone, radiology of, 860-863
calcaneal, computed tomography of, 939-940
simulated, 781
ganglion, magnetic resonance imaging of, 954
in systemic lupus erythematosus, 43-44, 49
navicular, computed tomography of, 940, 942
- Cytochrome P-450, drug metabolism and, 310-311
- Danis-Weber classification of ankle injuries, 877-878, 882
- Deformities, compensatory, 732-733
in arthritis, radiology of, 833
in rheumatoid disease, 193-200
classification of, 197
clinical presentation of, 197-198
digital function in, 194
of cervical spine, anesthesia and, 5, 159, 181-185
treatment of, 198-199
in systemic lupus erythematosus, 48-51
musculoskeletal homeostasis and, 527-528
shoes for, 747-749
- Degenerative joint disease, pathogenesis of, 9-10
radiology of, 9-10
- Degrees of freedom, of joints, 464-465

- Deltoid ligament, anatomy of, 276
 injury of, 280
 sprain of, 603
- Dermatomyositis, 13
 in systemic lupus erythematosus, 48
- Dexamethasone, in rheumatoid disease, 143
- Diabetes mellitus, drug metabolism and, 312
 joint disease in, 13-15. See also *Neuropathic joint*.
 calcaneal involvement in, 85
 swollen foot in, indium 111 scan in, 335-339
- Diabetic foot. See also *Neuropathic joint*.
 biomechanics of, 613-626
 neuromuscular status and, 615-616
 osseous/joint structure and, 616
 preventive measures and, 617-624
 treatment and, 617-624
 vascular status and, 614-615
 bone changes in, 850-857
 foot pressure measurements and, 502
 infection of, computed tomography in, 942
 pathogenesis of, 849-856
 radiology of, 849-857
 shoes for, 747
 treatment of, 856
 vascular disease in, 850-853
- Diastasis, in ankle injuries, 888
- Diastematomyelia, toe-walking in, 554
- Diazepam, with local anesthetic, in rheumatic patient, 189-190
- Digit(s). See also *Toe(s)*.
 deformities of, in rheumatoid disease, 193-200
 function of, in normal foot, 193-194
 in rheumatic foot, 194
 lesser, motion of, 476
- Diltiazem, action of, 310
- Discoid lupus erythematosus, 41
- Distal articular set angle, in radiology, 823-824
- Diuretics, precautions and drug interactions with, 307-308
- Dorsoplantar projection, in radiology, 768-769, 805
- Drug therapy, in rheumatoid disease, 67-71, 89-133
 anesthesia and, 169-180
 perioperative considerations and, 158
 interactions and precautions in, 291-319
 analgesics, 300-302
 antibiotics, 305-307
 beta-blockers, 309
 calcium-channel blockers, 310
 cardiovascular medications, 308
 diuretics, 307-308
 endocrine influences and, 311-312
 gastrointestinal absorption and, 312-313
 glaucoma and, 312-313
 glucocorticoids, 299
 hepatic metabolism and, 310-311
 local anesthetics, 299
 nonsteroidal antiinflammatory drugs, 302-305
 oral contraceptives and, 313
 sedative-hypnotics, 307
 sympatholytics, 310
 systemic lupus erythematosus induced by, 38-39
- Duchenne muscular dystrophy, waddling gait in, 632-633
- Dunn talar fracture classification, 396
- DuVries talar fracture classification, 396
- Dyskinetic gait, in neuromuscular disease, 630
- Dystonic muscularum deformans, toe-walking in, 554
- Edema, reduction of, in ankle sprain, 663-666
- Electrodiagram, in gait evaluation, 550
- Enchondroma, radiology of, 869
- Endocrine influences on drug metabolism, 311-312
- Enflurane, 190
- Epinephrine, with local anesthetic, in rheumatic patient, 189-190
- Equinus deformity, biomechanical concepts in, 641
- Equinus function, in sports activities, 525-527
- Equinus gait, in neuromuscular disease, 636
- Erosions, in rheumatoid arthritis, 836-839
 in synovial inflammatory disease, 834-835
- Erythrocyte sedimentation rate, in rheumatoid disease, 19-20, 65-66
- Erythromycin, precautions and drug interactions with, 305-307
- Ewing's sarcoma, radiology in, 866
- Exercise, in ankle injury prevention, 280
 in juvenile rheumatoid arthritis, 71
- Exostosis, after talar neck fracture, 405
 dorsal, 606
 versus calcaneus tuberosity, 780-781
- Ezeform, in broken orthosis duplication, 322-324
- Falls, talar neck fracture in, 394-396
- Familial spastic diplegia, gait in, 630
- Fasciocapulohumeral dystrophy, steppage gait in, 636
- Femur, length measurement of, with computed tomography, 268, 272
- Fenoprofen, in rheumatoid disease, 107

- Festinating gait, in neuromuscular disease, 636-637
- Fever, in juvenile rheumatoid arthritis, 58-60, 63-64
- First intermetatarsal angle, in radiology, 821-822
- First intermetatarsal base distance, in radiology, 822-823
- First metatarsal declination angle, in radiology, 826
- First metatarsal phalangeal joint angle, in radiology, 824
- Fish oil fatty acids, in rheumatoid disease, 120-121
- Flare, of rheumatoid disease, after glucocorticoid injection, 145, 148
- Flatfoot, in neonate, 539-542
- peroneal spastic, tarsal coalition and, 341, 348
- shoes for, 748-749
- Foam, in broken orthosis duplication, 325-327
- Foot, evolution of, 443-447
- Foot drop, steppage gait in, 635
- Foot therapy, biomechanical. See under *Orthoses*.
- Footgear. See *Shoes*.
- Force, measurement of. See *Gait, foot pressure measurement in*.
- Forefoot, arthroplasty of. See under *Arthroplasty*.
- inverted, biomechanical concepts in, 640-641
- motion of, muscular action in, 486-489
- rheumatoid disease in, 2-4
- surgery on, biomechanical concepts in, 639-659
- equinus, 641
- examination in, 639
- hallux abducto valgus, 642-650
- hammertoe, 653-658
- inverted forefoot, 640-641
- lesser metatarsal procedures, 650-652
- rearfoot varus, 640
- preoperative concerns in, 642
- Forestier's disease, calcaneal involvement in, 86
- Formalin, in verruca plantaris treatment, 378
- Fowler-Philip angle, in radiology, 827
- Fracture, biomechanics of, 451-453
- computed tomography of, 936-939
- normal variants simulating, calcaneus secundarium, 781, 784
- epiphyseal cleft, 790, 793
- medial malleolus mineralization, 777, 779
- metatarsal nutrient channel, 790
- os tibiale externum, 786
- os trigonum, 779
- phalangeal irregular development, 793, 795
- sustenaculum tali, 780
- of ankle, classification of, 877-882
- radiologic projections for, 888-891
- Tillaux-Chaput, 884, 887
- Wagstaffe, 884
- of foot, 603
- of knee, 585
- of leg, 591-594
- of talar neck. See under *Talus*.
- stress, 591-594, 603
- nuclear medicine imaging in, 916-917
- Fredrich's ataxia, 631
- Freiberg's infraction, in systemic lupus erythematosus, 49
- nuclear medicine imaging in, 917-918
- Front start, in power skating, 366
- Furosemide, precautions and drug interactions with, 307-308
- Fusion. See also *Arthrodesis*.
- in rheumatoid disease, 227-247
- bone grafting in, 231-232
- indications for, 227-228
- juvenile, 246
- of ankle joint, 241-244
- of first metatarsophalangeal joint, 234
- of hallux interphalangeal joint, 232-234
- of subtalar joint, 236-240
- of talonavicular joint, 235-236
- of tarsometatarsal junction, 234
- pantalar arthrodesis in, 245
- postoperative immobilization in, 245
- principles of, 228-230
- surgical considerations in, 230-231
- triple arthrodesis in, 240-241
- Gait, evaluation of, in toe-walking, 549-551
- foot pressure measurement in, criteria for, 492-494
- definitions in, 491-492
- history of, 495
- in running, 500
- pathologic effects and, 501-502
- pressure distribution in, 499
- reporting methods in, 495-497
- reproducibility of, 499-500
- shoe design and, 501
- techniques for, 494-495
- total force in, 497-498
- variation in, 500-501
- walking surface and, 501
- in infants, 731-732
- in neuromuscular disease, 627-638
- ataxic, 631
- dyskinetic, 630

- Gait (*Continued*)
 in neuromuscular disease, equinus, 636
 festinating, 636-637
 spastic, 629-630
 steppage, 634-636
 vaulting, 636
 waddling, 631-634
 midtarsal joint action in, 385-386, 388-389
 muscular action in. See *Muscle(s), action of*.
 normal, 628
 toe-walking in. See *Toe-walking*.
 with crutches/canes, biomechanics of, 677-693
- Callium scan, 331-333, 910, 912
- Ganglion cyst, magnetic resonance imaging of, 954
- Gastrointestinal system, drugs influencing absorption in, 312
 NSAIDs effects on, 95
 radiation effects on, 762
- Genography, orthoroent, in limb length measurement, 268
- Giant cell tumor, radiology of, 864, 866
- Gibney basket weave wrapping, in ankle injury prevention, 281-282
- Gissane's critical angle, in radiology, 827
- Glaucoma, drugs contraindicated in, 312-313
- Glucocorticoids, adverse effects of, 299
 in rheumatoid disease, 140-149
 anesthesia and, 174-178
 dosage of, 177
 endogenous production of, 135
 local use of. See *Injection therapy*.
 metabolic effects of, 137-138
 side effects of, 137-139
 systemic use of, 135-140
- Gluteus medius lurch, in neuromuscular disease, 631-634
- Gold compounds, in rheumatoid disease, 70-71, 111-114
 anesthesia and, 172
- Gonads, radiation effects on, 762
- Gonococcal arthritis, calcaneal involvement in, 81-82
- Gout and gouty arthritis, calcaneal involvement in, 84-85
 diuretics and, 308
 drug treatment of, 121-124, 126-127
 anesthesia and, 178-180
 pathogenesis of, 10-13
 radiology in, 10-13, 33, 843-846
 synovectomy in, 254
 synovial fluid analysis in, 18-19
- Graft, bone. See *Bone graft*.
- Granulocytopenia, in rheumatoid arthritis, implant arthroplasty and, 215
- Guillain Barre syndrome, steppage gait in, 635
- Haglund's deformity, radiology in, 827
- Hallux sesamoid position, in radiology, 826-827
- Hallux, interphalangeal joint of, arthrodesis of, in rheumatoid disease, 232-234
 motion of, 475-476
 muscular action in, 488-489
- Hallux abducto valgus, surgery in, 642-650
 biomechanics of, 645-647
 complications of, 650
 deformity types and, 643
 evaluation before, 643-645, 647-648
 joint positions and, 643-645
 procedures for, 648-650
- Hallux abductus angle, in radiology, 824
- Hallux abductus interphalangeal angle, in radiology, 824
- Hallux valgus, foot pressure measurements and, 501-502
- Halothane, 190
- Hammertoe, surgery on, 653-658
- Hamstring contracture, musculoskeletal homeostasis and, 526
- Harris and Beath projection, in radiology, 772-773, 810
- Hawkins talar fracture classification, 396-397
- "Hawkins's sign," 408
- Healing, of fracture, 452-453
- Heart, juvenile rheumatoid arthritis effects on, 60-61
- Heel, pain in. See also *Calcaneus, arthropathy of*.
 in rheumatoid arthritis, 837-838
 sports-related, 601-602
 spur in, shoes for, 749
- Heel counter, of shoe, construction of, 745
- Hematoma, subungual, sports-related, 604
- Hemiplegia, spastic gait in, 629-630
- Hemophilia, calcaneal involvement in, 86
 synovectomy in, 253
- Hemopoietic system, radiation effects on, 762
- Hindfoot, rheumatoid disease in, 4
- Hip, dislocation of, waddling gait in, 633-634
 examination of, in neonate, 534-537
 motion of, muscular action in, 479-483
 range of, 465-467
- Histocompatibility antigens, in synovial fluid analysis, 22
- HLA alloantigens, in synovial fluid analysis, 22
- Hockey, ice. See *Skating, power*.
- Hoshizaki stride pattern in power skating, 369-372
- Hydrocortisone, in rheumatoid disease, 143
 anesthesia and, 175-176
- Hydroxychloroquine, in rheumatoid disease, 71, 110-111
 anesthesia and, 174

- Hyperkeratosis, in systemic lupus erythematosus, 45
- Hypertrophic arthropathy, 424-425
calcaneal involvement in, 86
- Hyperuricemia, diuretics and, 308
- Hypoglycemia, beta-blockers and, 309
- Ibuprofen, in rheumatoid disease, 105-106
- Ice hockey. See *Skating, power.*
- Iliac crest, in limb length measurement, 267-268
- Iliac spine, anterior superior, in limb length measurement, 267
- Iliotibial band syndrome, knee pain in, 580
- Immunosuppressive drugs, in rheumatoid disease, 116-119
anesthesia and, 172
- Implant arthroplasty, in rheumatoid disease, 213-226
advantages of, 222
ankle joint, 217
complications of, 224
devices for, 220-222
disadvantages of, 222
of forefoot, 207-208, 218-224
preoperative considerations in, 214-217
synovectomy after, 254
- Indium 111 scan, 912
clinical imaging with, 329-340
applications of, 333-335
case report of, 335-339
technique for, 333
- Indoleacetic acids, in rheumatoid disease, 103-104
- Indomethacin, in rheumatoid disease, 103-104
anesthesia and, 171
- Infants. See also *Neonates.*
gait pattern of, 731-732
- Infection, in diabetic foot, computed tomography in, 942
in rheumatoid disease, implant arthroplasty and, 214-215
surgery and, 163-164
- Infectious arthritis, calcaneal involvement in, 82
synovectomy in, 253
- Inflammation, in rheumatoid disease, 90-93
- Injection therapy, with glucocorticoids, in rheumatoid disease, 140-153
applications of, 141
complications of, 145, 148
compounds for, 143
contraindications for, 142
disadvantages of, 141
doses of, 143-145
goals of, 142-143
technique for, 149-153
- Insoles, construction of, 746
- Internal fixation, devices used in, biomechanics of, 453
in talar neck fracture, 399-400, 402
- Interphalangeal joint, erosion of, in rheumatoid arthritis, 837
rheumatoid disease of, arthrodesis in, 232-234
- Intraocular pressure, drugs influencing, 312-313
- Inversion stress maneuver, in ankle injury evaluation, 283-284
- Inversion stress projection, in ankle radiology, 814
- Iridocyclitis, in juvenile rheumatoid arthritis, 64, 71-72
- Isherwood views, in radiology, 811-812
- Isoflurane, 190
- Jaccoud's arthropathy, in systemic lupus erythematosus, 50-51
- Joint(s). See also specific joint.
aspiration of, in juvenile rheumatoid arthritis treatment, 69-70
in rheumatoid disease diagnosis, 17-18
disease of. See also *Neuropathic joint; Rheumatoid disease.*
kinematics of, 459-476
axes of motion, 460-465
degrees of freedom, 464-465
planes of motion, 459-460
range of motion, 465-476
space between, radiology of, 803-804, 833
stress on, biomechanics of, 453-454
"Jumpers knee," 577-578
juvenile rheumatoid arthritis, 57-88
arthrodesis in, 246
calcaneal involvement in, 79
classification of, 57
diagnosis of, 58
differential, 61-64
early, 58
laboratory findings in, 65-66
management of, comprehensive, 67
drug therapy in, 67-71
ophthalmic, 72
physical measures in, 71
surgical, 72
onset of, pauciarticular, 64-65
polyarticular, 62-64
systemic, 58-62
prevalence of, 57
prognosis of, 72-73
radiology in, 66
- Kawasaki disease, versus juvenile rheumatoid arthritis, 61
- Keratoses, in systemic lupus erythematosus, 45
- Ketoprofen, in rheumatoid disease, 107

- Kidney, dysfunction of, in rheumatoid disease, 186-187
 NSAIDs effects on, 95, 100
- Kirschner wires, in forefoot arthroplasty, 207-210
 in talar neck fracture, 398-399
- Kite, angle of, in radiology, 827
- Knee, biomechanics of, in power skating, 371
 disorders of, shoes for, 750
 examination of, 572
 in neonate, 537
 iliotibial band syndrome affecting, 580
 ligament injury in, 583-585
 meniscal injuries in, 581
 motion of, muscular action in, 479-483
 Osgood Schlatter's disease of, 578-579
 osteochondral fracture of, 585
 osteochondritis dissecans of, 585-586
 pain in, causes of, 571
 patellar tendinitis at, 577-578
 patellofemoral dislocation at, 576-577
 patellofemoral pain syndrome of, 575-576
 pes anserinus bursitis and, 582
 popliteal synovial cyst of, 582-583
 popliteus tendinitis in, 581
 range of motion of, 467-468
 saphenous nerve entrapment in, 582
 sports injuries of, 571-589
 anterior pain in, 572-579
 generalized pain in, 583-586
 lateral pain in, 580-581
 medial pain in, 582
 posterior pain in, 582-583
 synovial shelf syndrome of, 572-575
- Koebner's phenomenon, in rheumatoid disease, surgery and, 163
- Köhler's disease, nuclear medicine imaging in, 917-918
- Laboratory testing, in rheumatoid disease, 17-23
 antinuclear antibodies measurement, 21-22
 C-reactive protein measurement, 20-21
 erythrocyte sedimentation rate, 19-20
 histocompatibility antigens and, 22
 juvenile, 65-66
 rheumatoid factor assay, 21
 synovial fluid analysis, 18-19
 systemic lupus erythematosus, 42-43
- Laser surgery, for verruca plantaris, 377-383
- Lasting, of shoes, 740, 743
- Lateral oblique projection, in radiology, 771, 807-808, 811-812
- Lateral projection, in radiology, 769, 805
 of ankle, 773, 814
- Latex fixation test, in juvenile rheumatoid arthritis, 66
 in synovial fluid analysis, 21
- Lauge-Hansen classification of ankle injuries, 877-882
- Launois's deformity, 841
- Leg, sports injury to. *See under Sports injury.*
- Leg length determination. *See also Limb length discrepancy.*
 with computed tomography scanography, 267-274
- Leiomyoma, benign, case study of, 359-362
- Leukocytes, indium 111, oxine-labeled, clinical imaging with, 329-340
 applications of, 333-335
 case report of, 335-339
 technique for, 333
- Leukocytosis, in juvenile rheumatoid arthritis, 66
- Levamisole, in rheumatoid disease, 120
- Lidocaine, in rheumatic patient, 187-188
- Ligaments, injury of, magnetic resonance imaging in, 957
 of ankle, anatomy of, 276-279
 of knee, injury to, 583-585
- Limb length, determination of, with computed tomography scanography, 267-274
 discrepancy of, 509-520
 compensation for, 510-511
 diagnosis of, 512-517
 etiology of, 509-510
 musculoskeletal homeostasis and, 528
 symptoms of, 511-512
 treatment of, 517-518
- Lisfranc amputation, prosthetic problems with, 697-698
- Liver, enlargement of, in juvenile rheumatoid arthritis, 61
 metabolism in, drugs influencing, 310-311
- Local anesthesia, before glucocorticoid injection, 145, 149-150
 in rheumatic patient, 187-190
- Lumbosacral angle increase, musculoskeletal homeostasis and, 528
- Lupus erythematosus. *See Systemic lupus erythematosus.*
- Lupus syndromes, cutaneous, 41
- Lymphadenopathy, in juvenile rheumatoid arthritis, 61
- Magnetic resonance imaging, 945-965
 advantages of, 945
 clinical indications for, 947
 in Achilles tendon disorders, 950, 952-954

- in bone tumors, 874
- in ganglion cysts, 954
- in ligament injury, 957
- in rheumatoid disease, 33-34
- in soft-tissue mass, 957, 959
- in tendon sheath damage, 955-956
- normal anatomy and, 951
- physics of, 946-949
- signal intensity, tissue effects on, 946-947
- Malignant bone tumors, radiology of, 866, 869
- Malleolus, anatomy of, 276
 - medial, in limb length measurement, 267
 - irregular mineralization of, radiology of, 777, 779
- Malunion, of talar neck fracture, 405
- Marino power skating acceleration curves, 369
- Meclofenamate, in rheumatoid disease, 108
- Medial oblique projection, in radiology, 770-771, 805, 807, 812
 - of ankle, 813-814
- Medial projection, in radiology, 769-770
- Mental retardation, toe-walking in, 552-553
- Mepivacaine, in rheumatic patient, 187-188
- Metastatic tumors, radiology of, 869, 872
- Metatarsal, amputation across, 697
 - fifth, variation in apophysis of, 788
 - lesser, surgery on, 650-652
 - neuropathic changes involving, 424
 - nutrient channel of, versus stress fracture, 790
- Metatarsal protrusion distance, in radiology, 824
- Metatarsophalangeal joint, neuropathic changes involving, 424
 - rheumatoid disease of, arthrodesis in, 234
 - glucocorticoid injection in, 151
 - implant arthroplasty in, 218-224
- Metatarsus adductus, in neonate, 538-539
 - shoes for, 747
- Metatarsus adductus angle, in radiology, 816-817, 821
- Metatarsus primus adductus angle, in radiology, 821-822
- Metatarsus primus elevatus, radiology in, 826-827
- Metatarsus quintus abductus angle, in radiology, 826
- Metatarsus varus, in neonate, 538-539
- Methotrexate, in rheumatoid disease, 115-116
 - anesthesia and, 172-173
- Methyldopa, action of, 310
- Methylprednisolone, in rheumatoid disease, 118-119, 143
 - anesthesia and, 176
- Midazolam, with local anesthetic, in rheumatic patient, 189-190
- Midfoot, rheumatoid disease in, 4
- Midtarsal joint, function of, 385-391
 - axes of motion, 386-387
 - in lower primates, 389-390
 - motion of, 387, 471-472
- Mindell talar fracture classification, 396
- Mineralization, of bone. *See Bone, mineralization of.*
- Mortise projection, in radiology, 773, 813-814
- Morton's foot, 605-606
- Morton's neuroma, 604
- Motion, measurement of, 503-505
 - of joints. *See Joint(s), kinematics of.*
- Mueller theory of power skating acceleration, 369
- Muscle(s), action of, during motion, 477-490
 - of ankle, 483-485
 - of forefoot, 486-489
 - of hip, 479-483
 - of knee, 479-483
 - of tarsal joint, 485-486
 - atrophy of, toe-walking in, 555
 - strength of, evaluation of, 528-529
 - strengthening of, in ankle sprain, 666-668
- Muscle relaxants, in rheumatic patient surgery, 182-183
- Muscular dystrophy, toe-walking in, 554-555
 - waddling gait in, 631-634
- Musculoskeletal homeostasis, biomechanics of, 521-530
 - activity effects on, 524-527
 - deformity effects on, 527-528
 - equinus function and, 525-527
 - evaluation of, 528-529
 - in static stance, 522-523
 - inactivity effects on, 524-527
 - muscular balance of power in, 523-524
 - rehabilitation and, 529
 - sports activities and, 524-527
 - sports training and, 529-530
 - stress effects on, 528
- Myocarditis, in juvenile rheumatoid arthritis, 60
- Nail, hematoma under, 604
 - systemic lupus erythematosus effects on, 45, 47
- Naproxen, in rheumatoid disease, 69, 106-107
- Navicular bone, computed tomography of, 940, 942
- Necrosis, aseptic, after talar neck fracture, 398, 400, 406-409
 - in systemic lupus erythematosus, 44-45
- Neonates, orthopedic evaluation of, 531-545
 - central nervous system examination in, 543-544

Neonates (*Continued*)

- orthopedic evaluation of, foot examination in, 538-542
 - head and neck examination in, 532
 - lower extremity examination in, 534-542
- neuromuscular activity examination in, 543-544
- posture in, 532
- proportional measurements in, 531-532
- spinal examination in, 533-534
- upper extremity examination in, 532
- Nerve block, in rheumatic patient, 188
- Nerve entrapment, in rheumatoid disease, 156
- Nervous system, systemic lupus erythematosus effects on, 47-48
- Neuroma, Morton's, 604
- Neuromuscular disease, gait alterations in, 627-638
 - ataxic, 631
 - dyskinetic, 630
 - equinus, 636
 - festinating, 636-637
 - spastic, 629-630
 - steppage, 634-636
 - vaulting, 636
 - waddling, 631-634
- Neuropathic joint (Charcot joint), in diabetes mellitus, 421-437, 853-856
 - case presentations of, 427-436
 - clinical appearance of, 422-424
 - development of, 425-426
 - historical review of, 421-422
 - incidence of, 423-424
 - prevention of, 426
 - radiography of, 424-426
 - spontaneous arrest of degeneration of, 427
 - treatment of, 426-427
 - in diabetic foot, 616
 - nuclear medicine imaging of, 924-925
- Neuropathy, in diabetic foot, 849, 852-856
 - with rheumatoid disease, 14-15
- Nifedipine, action of, 310
- NIKE basketball shoes, 285-286
- Nodules, in rheumatoid disease, 63, 204
- Nonsteroidal antiinflammatory drugs. See also specific drug.
 - in calcaneal arthropathy, 87
 - in juvenile rheumatoid arthritis, 67-69
 - in rheumatoid disease, 94-109
 - anesthesia and, 171-172
 - mode of action of, 94-95, 100
 - side effects of, 95, 100-101
 - types of, 94
 - precautions and drug interactions with, 302-305
- Nonunion of bone, indium 111 scan in, 334
- NSAIDs. See Nonsteroidal antiinflammatory drugs.
- Nuclear magnetic resonance imaging. See *Magnetic resonance imaging*.
- Nuclear medicine imaging, 909-929. See also *Indium 111 scan*; *Technetium scan*.
 - in arthritis, 921
 - in neuropathic joint, 924-925
 - in osteochondritis dissecans, 920
 - in osteomyelitis, 923-924
 - in osteonecrosis, 917-918
 - in reflex sympathetic dystrophy, 925-926
 - in tarsal coalition, 920-921
 - in trauma, 916-917
 - in tumors, 921
 - postoperative, 923
 - radiopharmaceuticals for, 909-912
- Oblique projection, in ankle radiology, 774
- Oral contraceptives, precautions and drug interactions with, 313
- Orthopedic evaluation, of neonates. See under *Neonates*.
- Orthoroent genography, in limb length measurement, 268
- Orthoses, 721-736. See also *Ankle-foot-orthosis*.
 - biomechanical theory of, 729-731
 - carbon graphite, 726
 - computerized fabrication of, 728
 - duplication of, 321-325
 - for permanent replacement, 324-327
 - for temporary use, 322-324
 - dynamic, 728-729
 - fiberglass, 726
 - foot pressure measurements and, 502
 - impression casting in, 727-729
 - in calcaneal arthropathy, 87
 - in children, 733-735
 - in diabetic foot management, 619-621
 - in digital rheumatoid disease, 199
 - in musculoskeletal homeostasis restoration, 529
 - in running shoes, 505
 - in systemic lupus erythematosus, 52
 - in toe-walking treatment, 556-557
 - leather in, 722
 - materials of, 722-727
 - motion analysis and, 504-505
 - nylon acrylic (Rohadur), 726
 - polyamide, 726
 - polyvinyl chloride, 725-726
 - prefabricated, 729
 - rubber, 723, 725
 - steel, 722
 - terminology of, 721-722
 - viscoelastic, 726-727

- Os intermetatarsale, radiology of, 788, 790
 Os paracuneiforme, radiology of, 787-788
 Os supranaviculare, radiology of, 785-786
 Os tibiale externum, radiology of, 786
 Os trigonum, radiology of, 779
 Os vesalianum, radiology of, 787
 Osgood Schlatter's disease, 578-579
 Osteoarthritis, drug treatment of, 127-128
 pathogenesis of, 9-10
 radiology in, 9-10, 33
 Osteoblastoma, radiology of, 863
 Osteochondral fracture, of knee, 585
 Osteochondritis dissecans, computed tomography in, 934, 942
 nuclear medicine imaging in, 920
 of knee, 585-586
 Osteochondrosis, versus irregular development of tarsal navicular, 784
 Osteogenic sarcoma, radiology of, 866, 869
 Osteoid osteoma, radiology of, 863
 Osteolysis, indium 111 scan in, 336, 338-339
 Osteomyelitis, in talar neck fracture, 404-405
 indium 111 scan in, 329, 334
 nuclear medicine imaging in, 923-924
 pathogenesis of, 13, 15
 radiology of, 13, 15
 Osteonecrosis, in systemic lupus erythematosus, 49
 nuclear medicine imaging in, 917-918
 Osteons, forces on, 562
 Osteopathy, in diabetic foot, 616
 Osteopenia, in rheumatoid disease, in joint fusion, 230-231
 Osteoporosis, in calcaneal arthropathy, 86-87
 in rheumatoid arthritis, 836-837
 in systemic lupus erythematosus, 43-44, 48
 Outpatients, drug interactions and precautions in, 291-319
 Oxycams, in rheumatoid disease, 108-109
- Palpation, in ankle injury evaluation, 283
 Pantalar arthrodesis, in rheumatoid disease, 245
 in talar neck fracture, 400
 Parkinson's disease, festinating gait in, 636-637
 Patella tendon brace, 713-714
 Patellar tendinitis, 577-578
 Patellofemoral dislocation, 576-577
 Patellofemoral pain syndrome, 575-576
 D-Penicillamine, in rheumatoid disease, 71, 114-115
 anesthesia and, 173-174
- Penicillins, precautions and drug interactions with, 305-306
 Pericarditis, in juvenile rheumatoid arthritis, 60-61
 Perioperative considerations, in arthritic patient, 155-167
 anesthesia in, 158-160
 drug history in, 158
 general medical condition in, 157-158
 infection risk and, 163-164
 nerve entrapment in, 156
 rehabilitation potential in, 160-161
 skin condition and, 162-163
 timing in, 156
 vascular disease and, 161-162
 Peripheral neuropathy, in neuropathic joint, 422
 Peripheral vascular disease, beta-blockers and, 309
 Peritonitis, in juvenile rheumatoid arthritis, 61
 Peroneal spastic flatfoot, tarsal coalition and, 341, 348
 Peroneal tendon, injury of, tenography in, 907
 subluxation of, 603-604
 Peroneus muscles, strengthening of, in ankle injury prevention, 280
 Pes anserinus bursitis, 582
 Phalanges, cleft epiphysis of, radiology of, 790, 793
 irregular development of, radiology of, 793, 795
 neuropathic degeneration of, 425
 Phenylbutazone, in rheumatoid disease, 102-103
 Phenylephrine, with anesthetic, 190
 Pigmented villonodular synovitis, synovectomy in, 255
 Pindolol, precautions and drug interactions with, 309
 Pirogoff amputation, prosthetic problems with, 697-698
 Piroxicam, in rheumatoid disease, 108-109
 Planes of motion, of joints, 459-460
 Plantar-axial projection, in radiology, 808-809
 Plantar wart, laser surgery for, 377-383
 Plaster, in broken orthosis duplication, 324-325
 Polio, steppage gait in, 634-635
 Polyethylene orthoses, 723-725
 Polymyositis, in systemic lupus erythematosus, 48
 Polypropylene ankle-foot-orthosis, 711-712
 Popliteal artery entrapment, 594-595
 Popliteal synovial cyst, 582-583
 Popliteus tendonitis, 581
 Postoperative foot, nuclear medicine imaging of, 923

- Prednisolone, in rheumatoid disease, 143
 Prednisone, in rheumatoid disease, 69, 118-119
 Prescription drug therapy. See *Drug therapy*.
 Pressure, measurement of. See *Gait, foot pressure measurement in*.
 Prilocaine, in rheumatic patient, 187-189
 Primates, foot structure of, 443-447
 Probenecid, in crystal-induced joint disease, 122
 anesthesia and, 178-179
 Procaine, in rheumatic patient, 187-188
 Pronation, musculoskeletal homeostasis and, 527-528
 of subtalar joint, compensatory, 732-733
 shoes for, 749
 Propionic acids, in rheumatoid disease, 105-108
 Proprioception, development of, in ankle injury prevention, 280-281
 Proprioceptive exercise, in ankle sprain, 668-670
 Prosthesis, in amputation. See under *Amputation*.
 painful, indium 111 scan in, 333-334
 Proteinuria, in juvenile rheumatoid arthritis, 66
 Proximal articular set angle, in radiology, 823
 Pseudogout (calcium crystal deposition disease), 845-846
 calcaneal involvement in, 85
 Pseudoscorpion gait, 552
 Psoriatic arthritis, 5, 7, 9
 calcaneal involvement in, 77, 81-82
 drug treatment of, 127
 forefoot arthroplasty in, 202
 radiology in, 27, 841-843
 synovectomy in, 255
 Pulmonary disease, in rheumatic patient, anesthesia and, 184
 Pulse, with neuropathic joint, 423
 Puma basketball shoes, 285
 Purpura, in systemic lupus erythematosus, 45
 Push-pull stress projection, in radiology, of ankle, 815
 Pyrazoles, in rheumatoid disease, 102-103
 Pyrrolactic acids, in rheumatoid disease, 104-105

 Radiation, dose-response curves for, 760
 tissue damage by, 759-762
 Radiation syndrome, acute, 761-762
 Radiology. See also *Arthrography; Computed tomography; Magnetic resonance imaging; Nuclear medicine imaging*.
 angular measurements in, 816-829
 angle of Kite, 828
 anterior cyma line, 828
 Böhler's critical angle, 827
 calcaneal inclination angle, 827
 critical angle of Gissane, 827
 cuneiform split, 822-823
 distal articular set angle, 823-824
 first intermetatarsal angle, 821-822
 first intermetatarsal base distance, 822-823
 first metatarsal declination angle, 826
 first metatarsal phalangeal joint angle, 824
 Fowler-Philip angle, 827
 hallucial sesamoid position, 826-827
 hallux abductus angle, 824
 hallux abductus interphalangeal angle, 824
 in Haglund's deformity, 827
 in metatarsus primus elevatus, 826-827
 metatarsal protrusion distance, 824
 metatarsus adductus angle, 816-817, 821
 metatarsus primus adductus angle, 821-822
 metatarsus quintus abductus angle, 826
 proximal articular set angle, 823
 second intermetatarsal angle, 826
 talocalcaneal angle, 828
 tangential angle to the second axis, 825-826
 third intermetatarsal angle, 826
 tibial sesamoid position, 824-825
 dosage of, maximum permissible, 762-763
 in ankle trauma, 877-891
 in ankylosing spondylitis, 27, 840
 in arthritis, 831-848
 in bone alignment visualization, 802-803
 in crystal deposition disease, 843-846
 in gout and gouty arthritis, 10-13, 33, 843-846
 in joint space examination, 803-804
 in limb length measurement, 268
 in psoriatic arthritis, 27, 841-843
 in Reiter's syndrome, 27, 840-841
 in rheumatoid disease, 1-16, 25-36, 836-839
 crystal deposition-type, 10-13
 degenerative (osteoarthritis), 9-10
 infective, 13-15
 juvenile, 66
 methods for, arthrography, 27-29
 bone scanning, 25-27
 computed tomography, 31-33
 magnetic resonance imaging, 33-34
 tenography, 29-31
 of connective tissue, 13
 of sesamoid bones, 15
 synovial inflammatory, 2-9
 systemic lupus erythematosus, 43-45
 in septic arthritis, 13-15

- in seronegative disease, 5, 7, 9
- in spondyloarthropathy, 839-843
- in systemic lupus erythematosus, 13
- in tenosynovitis, 29-30
- monitoring devices used in, 763-764
- nomenclature in, 768
- normal variants simulating disease, 777-795
 - calcaneal tuberosity development variation, 780-781
 - calcaneus secundarium, 781, 784
 - epiphyseal cleft, 790, 793
 - fifth metatarsal base apophysis appearance, 788
 - medial malleolus irregular mineralization, 777-779
 - metatarsal nutrient channel, 790
 - os intermetatarsum, 788, 790
 - os paracuneiforme, 787-788
 - os supranaviculare, 785-786
 - os tibiale externum, 786
 - os trigonum, 779
 - os vesalianum, 787
 - phalanges developmental irregularities, 793, 795
 - sesamoid bone in tibialis posterior tendon, 786
 - simulated calcaneal cyst, 781
 - sustentaculum tali shadow on calcaneus, 780
 - talar beak, 779
 - tarsal navicular irregular development, 784
- of bone tumors. See *Bone tumors*.
- of bursae (bursography), 893, 897
- of diabetic foot, 849-857
- of tendons. See *Tenography*.
- operator protection in, 765
- orthoposer use in, 767, 770, 772
- patient positioning in, 767-774
 - anterior-posterior view, of ankle, 813
 - axial calcaneal projection, 809-810772
 - axial sesamoidal projection, 771-772
 - calcaneal-axial projection, 772, 809-810
 - dorsoplantar projection, 768-769, 805
 - for ankle examination, 773-774, 812-816, 888-890
 - Harris and Beath projection, 772-773, 810
 - inversion stress view, of ankle, 814
 - Isherwood views, 811-812
 - lateral ankle projection, 773
 - lateral oblique axial view, 811-812
 - lateral oblique projection, 771, 807-808
 - lateral projection, 769, 805
 - of ankle, 814
 - medial oblique axial view, 812
 - medial oblique projection, 770-771, 805, 807
 - of ankle, 813-814
 - medial projection, 769-770
 - mortise projection, 773, 813-814
 - oblique projection, for ankle, 774
 - plantar-axial view, 808-809
 - push-pull stress view, of ankle, 815
 - ski jump projection, 772-773
 - stress lateral view, of ankle, 815-816
 - subtalar coalition projection, 810
- patient protection in, 764
- risk reduction in, 765-766
- safety measures in, 759-766
- standard techniques in, 767-775
- surgical, 797-829
 - alignment in, 802-803
 - angular measurements in. See *Radiology, angular measurements in*.
 - joint space appearance in, 803-804
 - mineralization appearance in, 800-802
 - patient positioning in. See *Radiology, patient positioning in*.
 - radiograph reading, systematic approach to, 798-804
 - soft-tissue appearance in, 798-800
- Radionuclide imaging. See also *Bone scan; Nuclear medicine imaging*.
 - in rheumatoid disease, 25-27
- Radiopharmaceuticals, in bone scanning, 26-27
- Radiosynovectomy, in rheumatoid disease, 252
- Range of motion, of joints, 465-476
- Rash, in juvenile rheumatoid arthritis, 59-60
- Ray, fifth, motion of, 474
 - first, motion of, 472-474
 - muscular action in, 488-489
- Raynaud's phenomenon, in systemic lupus erythematosus, 45, 47
- Rearfoot varus, biomechanical concepts in, 640
- Reflex sympathetic dystrophy, nuclear medicine imaging in, 925-926
- Rehabilitation, after joint surgery, 160-161
 - in musculoskeletal imbalance, 529
- Reiter's syndrome, 5, 7, 9, 840-841
 - calcaneal involvement in, 77-82
 - drug treatment of, 127
 - radiology in, 27
 - synovectomy in, 254-255
- Renal disease, calcaneal involvement in, 86
- Rheumatoid arthritis. See also *Juvenile rheumatoid arthritis*.
 - anesthesia and, 184-185
 - cervical deformities in, 181-182
 - calcaneal involvement in, 78-79
 - drug treatment of, 124-126
 - forefoot arthroplasty in, criteria for, 202
 - skin condition in, 203-204
 - implant arthroplasty in, 213-226
 - ankle joint, 217
 - forefoot, 218-224
 - preoperative considerations in, 214-217

- Rheumatoid arthritis (*Continued*)
 pathophysiology of, 2-5
 radiology in, 2-5, 26, 29, 33, 836-839
 synovectomy in, 252-253
 with systemic lupus erythematosus, 47
- Rheumatoid disease, anesthesia in, 169-192
 calcaneal involvement in, 77-88
 classification of, 1-2
 digital deformities in, 193-200
 digital function in, 194
 forefoot arthroplasty in, 201-211
 fusions in, 227-247
 implant arthroplasty in, 213-226
 juvenile, 57-75
 laboratory testing in, 17-23
 perioperative considerations in, 155-167
 pharmacologic management of, 89-133
 radiology in, 1-16, 25-36
 steroids in, 135-154
 synovectomy in, 249-257
 systemic lupus erythematosus, 37-56
- Rheumatoid factor, in juvenile rheumatoid arthritis, 66
 in synovial fluid analysis, 21
- RICE acronym, in ankle sprain rehabilitation, 661, 673
- Running gait, measurement of, 500
- SACH heel, in amputation, 699, 702-703
- Safety, in radiology, 759-766
- Salicylates, in rheumatoid disease, 68-69, 101-102
 anesthesia and, 169-171
 precautions and drug interactions with, 301-302
- Salicylic acid, in verruca plantaris treatment, 378
- Saphenous nerve entrapment, knee pain in, 582
- Sarcoma, of bone, radiology of, 866, 869
 of cartilage, radiology of, 869
 synovial, radiology of, 872-874
- Scanography, computed tomography, in limb length determination, 267-274
- Scleroderma, 13
 anesthesia and, 184-186
- Second intermetatarsal angle, in radiology, 826
- Sedative-hypnotics, precautions and drug interactions with, 307
- Septic arthritis, after glucocorticoid injection, 148
 pathogenesis of, 13-15
 radiology of, 13-15
- Seronegative disease, pathogenesis of, 5, 7, 9
 radiology in, 5, 7, 9, 27
 versus seropositive disease, 77-82
- Sesamoid bone, in tibialis posterior tendon, radiology of, 786
 rheumatoid disease of, 15
- Sesamoidal-axial projection, in radiology, 771-772
- Shin splints, 596-599
- Shoe-clasp orthosis, 714-716
- Shoes, 737-751
 ankle stability and, in basketball player, 275-290
 athletic, 746-750
 basketball, design concepts in, 284-289
 in ankle injury prevention, 281-282
 broken orthoses in, duplication of, 321-328
 categories of, 739-740
 construction of, 739-746
 foot pressure measurements and, 501
 for power skating, 373-374
 glossary of, 741-743
 heel counter of, construction of, 745
 history of, 737-738
 in diabetic foot management, 621-624
 in toe-walking treatment, 556
 insoles of, construction of, 746
 lasting of, 740, 743
 manufacturing process for, 738-739
 midsoles of, construction of, 744-745
 modification of, after amputation, 699-702
 motion analysis and, 504-505
 outsoles of, construction of, 745
 therapeutic use of, 746-750
 uppers of, construction of, 744
 walking, 750
- Skating, power, biomechanics of, 363-376
 acceleration phase, 367-369
 angle of propulsion, 364-366
 ankle stability, 372
 blade edge, 365-366
 blade position, 364, 374
 blade sharpening, 374
 foot casting, 373
 skate fitting, 373-374
 starting phase, 366-367
 striding phase, 369-372
- Ski jump projection, in radiology, 772-773
- Skin, lupus erythematosus effects on, 41, 45, 47
 necrosis of, in talar neck fracture, 404
 rheumatoid disease effects on, surgery and, 162-163, 203-204
- Soft tissue, glucocorticoid injection into, 152
 radiology of, 798-800
 tumors of, magnetic resonance imaging in, 957, 959
- Solitary bone cyst, radiology of, 860
- Spastic gait, 629-630
- Spinal anesthesia, in rheumatoid disease, 159-160
- Spinal muscular atrophy, waddling gait in, 633

- Spine, cervical. See *Cervical spine*.
- Spiral ankle-foot-orthosis, 712-713
- Spondyloarthropathy, pathogenesis of, 5, 7, 9
 radiology of, 5, 7, 9
 seronegative, radiology of, 839-843
 versus seropositive, 77-82
- Sports activities. See also *Basketball*; *Skating*, *power*.
 musculoskeletal homeostasis and, 524-527
 training for, 529-530
- Sports injury, of ankle, 602-604
 to knee, 571-589
 anterior pain in, 572-579
 generalized pain in, 583-586
 lateral pain in, 580-581
 medial pain in, 582
 posterior pain in, 582-583
 to leg, 591-601
 compartment syndrome, 595-596
 popliteal artery entrapment, 594-595
 shin splints, 596-599
 stress fracture, 591-594
 tendinitis, 600-601
- Sprain, of ankle. See under *Ankle*.
- Spur, calcaneal, in rheumatoid disease, 77-78
 of talonavicular joint, 779
- Stance, static, biomechanics of, 522-523
- Starting phase, of power skating, 366-367
- Steinmann pin, in talar neck fracture, 399, 410
- Steppage gait, in neuromuscular disease, 634-636
- Steroids. See also *Corticosteroids*; *Glucocorticoids*.
 in rheumatoid disease, 135-154
 injection techniques for, 149-153
 local, 140-149
 systemic, 135-140
- Strain, on bone, biomechanics of, 449-452
- Stress, musculoskeletal homeostasis and, 528
 on bone, biomechanics of, 449-452
 on joints, biomechanics of, 453-454
- Stress fracture, nuclear medicine imaging
 in, 916-917
 of foot, 603
 of leg, 591-594
- Stress lateral projection, in radiology, of ankle, 815-816
- Stretching, in musculoskeletal homeostasis restoration, 529
- Striding phase of power skating, 369-372
- Stroke, steppage gait in, 635
- Subtalar arthrodesis, in talar neck fracture, 400, 404
- Subtalar coalition projection, in radiology, 810
- Subtalar joint, arthrography of, 901-904
 compensation of, 732-733
 computed tomography of, 936-937
- degenerative changes in, after talar neck fracture, 405-406
 function of, 385-390
 in lower primates, 389-390
 glucocorticoid injection into, 152
 motion of, 470-471
 measurement of, 504-505
 pain in, synovectomy in, 255
 rheumatoid disease of, arthrodesis in, 236-240
- Subungual hematoma, sports-related, 604
- Sulfasalazine, in rheumatoid disease, 119
- Sulfinpyrazine, in crystal-induced joint disease, 122
- Sulindac, in rheumatoid disease, 104
- Supination, of subtalar joint, compensatory, 733
- Suprofen, in rheumatoid disease, 107-108
- Surgery, in arthritic patient, 155-167. See also *Anesthesia*.
 radiology and. See under *Radiology*.
- Sustentaculum tali, radiology of, 780
- Swan-neck deformity, in systemic lupus erythematosus, 49-50
- Syme amputation, 699, 702-703
- Sympatholytics, precautions and drug interactions with, 310
- Synovectomy, in rheumatoid disease, 249-257
 applications of, 252-256
 chemical methods for, 252
 digital, 199
 methods of, 250-251
 radiopharmaceuticals for, 252
 rationale for, 249-250
 techniques for, 251-252
- Synovial fluid, analysis of, in glucocorticoid injection, 150-151
 in rheumatoid disease, 18-19, 66
 clotting of, 18
- Synovial inflammatory disease, 2-9
 radiology of, 834-835
- Synovial sarcoma, radiology of, 872-874
- Synovial shelf plica syndrome, in knee pain, 572-575
- Synovitis, aseptic, indium 111 scan in, 335
 in rheumatoid disease, calcaneal involvement in, 78
 in systemic lupus erythematosus, 49
- Systemic lupus erythematosus, 37-56. See also *Lupus syndromes*.
 anesthesia and, 185-186
 calcaneal involvement in, 86-87
 chronic discoid, 41
 clinical manifestations of, 40-43
 course of, 42
 cutaneous, 41
 dermatologic, 45-47
 joint pain and deformity, 48-51
 laboratory findings in, 42-43
 musculoskeletal, 48

- Systemic lupus erythematosus (*Continued*)
 clinical manifestations of, neurologic, 47-48
 vascular, 47
 diagnosis of, 40
 epidemiology of, 37
 etiology of, 38-39
 pathogenesis of, 13, 39-40
 radiology of, 13, 43-45
 treatment of, 51-53
 with rheumatoid arthritis, 47
- Talar beak, radiology of, 779
- Talar tilt test, in ankle injury evaluation, 284
- Talectomy, in talar neck fracture, 400, 403-404
- Talipes equinovarus. See also *Clubfoot*.
 in neonate, 542
 toe-walking in, 556
- Talocalcaneal angle, in radiology, 827
- Talocalcaneal coalition, 343, 348, 350
- Talocrural joint, arthrography of, 897-901
- Talofibular ligaments, anatomy of, 278
 injury of, 279
 evaluation of, 283-284
- Talonavicular coalition, 347, 353-355
- Talonavicular joint, function of, 385, 387
 rheumatoid disease of, arthrodesis in, 235-236
 glucocorticoid injection in, 152
 spurs of, versus talar beak, 779
- Talotibial ligaments, anatomy of, 276-278
- Talus, blood supply of, 406-407
 computed tomography of, 934, 936
 neck of, fracture of, 393-420
 avascular necrosis after, 398, 400, 406-409
 classification of, 396-397
 historical aspects of, 393-394
 mechanism of, 394-396
 revascularization of, 408-409
 treatment of, 397-401, complications of, 404-406, results of, 401-404
- Tangential angle to the second axis, in radiology, 825-826
- Tape measure, in limb length measurement, 267
- Taping, in ankle injury prevention, 281-282, 285
- Tarsal coalitions, **341-356**
 calcaneonavicular, 343, 350-352
 computed tomography of, 936
 etiology of, 347
 incidence of, 341
 nuclear medicine imaging in, 920-921
 peroneal spastic flatfoot and, 341, 348
 radiography of, 347
 symptoms of, 347
 talocalcaneal, 343, 348, 350
 talonavicular, 347, 353-355
- Tarsal joint, motion of, muscular action in, 485-486
- Tarsal navicular bones, radiology of, 784
- Tarsal tunnel syndrome, 602-603
- Tarsometatarsal joint, glucocorticoid injection into, 151-152
- Tarsometatarsal junction, rheumatoid disease of, arthrodesis in, 234
- Technetium scan, 26, 330, 909-910, 912-913
 multiphase imaging with, 915-916
- Teleradiography, in limb length measurement, 268
- TEMPER acronym, in ankle sprain rehabilitation, **661-675**
- Temporomandibular joint deformity, anesthesia and, 182
- Tendo Achilles. See *Achilles tendon*.
- Tendon sheaths, damaged, magnetic resonance imaging of, 955-956
- Tendinitis, in leg, sports-related, 600-601
 patellar, 577-578
 popliteus, 581
- Tendons, disorders of, magnetic resonance imaging of, 950, 952-954
 inflammation of, in systemic lupus erythematosus, 48
- Tenography, 904-905, 907
 in rheumatoid disease, 29-31
 indications for, 895
 technique for, 895, 897
- Tenosynovitis, radiology in, 29-30
 synovectomy in, 253-254
 tenography in, 905
- Tetracyclines, precautions and drug interactions with, 306
- Teufel orthosis, 716-717
- Thiazide diuretics, precautions and drug interactions with, 307-308
- Third intermetatarsal angle, in radiology, 826
- Thrombophlebitis, in systemic lupus erythematosus, 47
- Thyroid status, drug metabolism and, 311-312
- Tibia, length measurement of, with computed tomography, 268, 272
- Tibial sesamoid position, in radiology, 824-825
- Tibialis posterior tendon, sesamoid bone in, radiology of, 786
- Tibiofibular syndesmosis, ligaments of, 882, 884
- Tibionavicular ligament, anatomy of, 276
- Tibiotalar arthrodesis. See also *Blair fusion*.
 in talar neck fracture, 400
- Tibiotalar joint, arthritis of, after talar neck fracture, 405
- Tillaux-Chaput fracture, 884, 887
- Toe(s). See also *Digit(s)*.

- amputation of, 697
 - prosthesis for, 702
- hammer, surgery on, 653-658
 - motion of, muscular action in, 486-489
- Toe-walking, **547-559**
 - differential diagnosis of, 552-556
 - gait evaluation in, 549-551
 - incidence of, 547
 - medical history and, 548-549
 - physical examination in, 551
 - treatment of, 556-558
- Tolmetin, in rheumatoid disease, 69, 104-105
 - anesthesia and, 171
- Tomography. See also *Computed tomography*.
 - in bone tumors, 874
- Tophaceous deposits, in gouty arthritis, 845
- Tracheostomy, in rheumatic patient surgery, 183-184
- Transfusions, in surgery, 186
- Trauma. See also *Sports injury*.
 - biomechanics of, **561-569**
 - cancellous bone remodeling in, 565-569
 - definitions in, 561-562
 - long bones in, 562-565
 - osteons in, 562
 - tubular bone remodeling in, 565-569
 - calcaneal inflammation after, 83-84
 - nuclear medicine imaging in, 916-917
- Tread mat, in gait evaluation, 549
- Trendelenburg gait, bilateral, in neuromuscular disease, 631-634
- Triamcinolone, in rheumatoid disease, 143
- Triple arthrodesis, in rheumatoid disease, 240-241
 - in talar neck fracture, 400-401, 404
- Tumors, leiomyoma, 359-362
 - of bone. See *Bone tumors*.
 - soft-tissue, magnetic resonance imaging in, 957, 959
- Ulceration, in digital rheumatoid disease, 199
 - in systemic lupus erythematosus, 45
- Ulnar deviation, in systemic lupus erythematosus, 50-51
- Urate crystals, in gouty arthritis, 843-844
- Vascular disease, in diabetic foot, 850-853
 - in rheumatoid disease, surgery and, 161-162
 - in systemic lupus erythematosus, 47
- Vasculitis, in rheumatoid disease, 203
 - anesthesia and, 185
 - implant arthroplasty and, 216
 - in systemic lupus erythematosus, 45, 47
- Vasospastic phenomenon, in rheumatoid disease, 161-162
- Vaulting gait, in myotonic dystrophy, 636
- Verapamil, action of, 310
- Verruca plantaris, laser surgery for, 377-383
- Viral arthritis, versus juvenile rheumatoid arthritis, 64
- Volkman's triangle, in ankle injuries, 887-888
- Waddling gait, in neuromuscular disease, 631-634
- Wagstaffe fracture, 884
- Walking, shoes for, 750
- Wart, plantar, laser surgery for, 377-383
- Watson-Jones talar fracture classification, 396
- Westergren method for erythrocyte sedimentation rate, 20
- Wintrobe method for erythrocyte sedimentation rate, 20
- Wound healing, in implant arthroplasty, 214
 - in rheumatoid arthritis, 204, 214
- Xanthine oxidase inhibitors, in crystal-induced joint disease, 122-124
- Xanthoma, cerebrotendinous, magnetic resonance imaging in, 953-954
- Zomepirac acid, in rheumatoid disease, 104-105